

FIST Generic Rack**TELECOM OUTSIDE PLANT**

FIST is Raychem's Fiber Infrastructure System Technology.

The Generic Rack, FIST-GR2, is an all-purpose metal rack designed to accommodate the FIST fiber management system in an exchange, head end or customer premises environment.

FIST-GR2 is typically used to house connector panels and separate shelves for splicing, patching, equipment and devices.

The unit has the following features:

- Depth and width in accordance with ETSI
- Many rack configurations are possible by using different combinations of the base frame and side duct(s)
- ETSI mounting profiles with cage nuts for shelf mounting are provided at the rear of the rack, allowing optimal access from the front
- Horizontal and vertical patchcord management (HPM and VPM) for storage of functional patchcord overlength
- Horizontal and vertical patchcord storage (HPS and VPS) for excess patchcord overlength between the shelves and either the equipment or adjacent racks
- Bend control on all fiber routing
- A structured division and distribution of the cable elements
- A wide variety of options
 - Cable attachment plates can be mounted in any location (top/bottom) in the side duct
 - Mounting bracket adapters for 19" shelf mounting
 - Equipment mounting bracket adapters
 - Easy access to cables, pigtails and jumpers during installation, maintenance and upgrade
 - Easy adaptation to specific applications by variation of the rack configuration, the shelf configuration and routings of pigtails and jumpers
- Various mounting options
 - Wall mounting: stand alone or multiple side-to-side mounting
 - Back-to-back mounting



FIST-GR2

Dimensions and capacity

Raychem description	Dimensions			Capacity	
	H mm	W mm	D mm	Height units (ETSI)**	# FIST shelves***
FIST-GR2-1	1800	*	300	64-8 = 56	11
FIST-GR2-2	2200	*	300	80-8 = 72	14
FIST-GR2-3	2600	*	300	96-8 = 88	17

The rack unit is coated (painted) to RAL-7035

* The width depends on the configuration - see ordering information.

** The base duct included in the rack occupies 8 ETSI height units.

*** Standard FIST shelves, FIST-POM and FIST-CENT with cover occupy 5 ETSI height units
FIST-HPM and FIST-HPS occupy 7 ETSI height units

Ordering information

FIST-GR2 - X X - X X

Height

1	1.8 m
2	2.2 m
3	2.6 m

Width

6	600 mm
7	750 mm (600+150)
A	750 mm (150+600)
8	900 mm (600+300)
B	900 mm (300+600)
9	900 mm (150+600+150)
0	1050 mm (150+600+300)
C	1050 mm (300+600+150)
2	1200 mm (300+600+300)

Doors and panels

N	No panels, no doors
P	With panels and side duct doors, no central door
D	With panels, central and side duct doors without locks
L	With panels, central and side duct doors with locks (standard key number 00)
1	Side mounting equivalent of P (without side panels)*
2	Side mounting equivalent of D (without side panels)*
3	Side mounting equivalent of L (without side panels)*

* Including rack connection kit for side-to-side mounting

Type

S	Stand-alone rack or wall mounting rack
B	Back-to-back rack (without back panel but including rack connection kit for back-to-back mounting)

Consumables, accessories and tools

See the ordering guides for FIST-GR2 and splicing and patching shelves.

Tyco Electronics Raychem NV Telecom Outside Plant

Diestsesteenweg 692
3010 Kessel-Lo, Belgium
Tel.: 32-16 351 011
Fax: 32-16 351 697
www.tycoelectronics.com

Tyco, Raychem and FIST are trademarks of Tyco International.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, Tyco Electronics makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. Tyco Electronics' obligations shall only be as set forth in Tyco Electronics' Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of Tyco Electronics products should make their own evaluation to determine the suitability of each such product for the specific application.